



**Centerra Gold Inc. - Öksüt Gold Project, Turkey**  
**Diamond Drill Hole Locations**  
Period July 1st, 2018 to September 30th, 2018



Drill Hole	Target	Purpose	Location Easting *	Location Northing *	Elevation (m)	Length (m)	Collar Azimuth **	Collar Dip
ODD0308	Keltepe	Resource expansion	718,695	4,240,987	1,666	186.90	280.00	-50
ODD0309	Keltepe	Resource expansion	719,221	4,240,425	1,781	414.60	0.00	-90
ODD0310	Keltepe	Resource upgrade & supergene Cu	719,571	4,240,440	1,852	312.70	0.00	-90
ODD0311	Keltepe	Resource upgrade & supergene Cu	719,398	4,240,581	1,809	121.30	0.00	-90
ODD0311A	Keltepe	Resource upgrade & supergene Cu	719,395	4,240,581	1,810	368.50	0.00	-90
ODD0312	Keltepe	Resource upgrade & supergene Cu	719,501	4,240,469	1,844	345.50	0.00	-90
ODD0313	Keltepe	Resource upgrade & supergene Cu	719,400	4,240,392	1,823	263.30	0.00	-90
ODD0314	Keltepe NW	Exploration	718,647	4,240,976	1,653	116.00	280.00	-50
ODD0315	Boztepe	Exploration	717,637	4,240,506	1,722	532.40	0.00	-90
ODD0316	Keltepe	Exploration	719,391	4,240,447	1,823	460.90	0.00	-90
ODD0317	Keltepe	Exploration	718,949	4,240,664	1,730	358.40	0.00	-90
ODD0318	Keltepe	Resource expansion	719,201	4,240,341	1,764	In progress	0.00	-90
ODD0319	Yelibelen	Exploration	719,163	4,239,228	1,701	180.20	260.00	-60

Notes: Section line is location of the hole collar.

This information should be read together with our news release of October 31, 2018. Tables are current as of September 30, 2018.

Mustafa Cihan, a Member of the Australian Institute of Geoscientists (AIG), is Centerra's qualified person for the purpose of National Instrument 43-101.

Table is current as of October 12th, 2018.

\* Datum is UTM ED50 Zone 36

\*\* Azimuths are relative to grid



**Centerra Gold Inc. - Öksüt Gold Project**  
**Diamond Drill Hole Assay Results**  
 Period July 1st, 2018 to September 30th, 2018



Drill Hole	Target	Purpose	From (m)	To (m)	Core Length (m)	Au (g/t)	Cu (%)	Mo (%)	Oxidation
ODD0308	Keltepe	Resource expansion	66.0	114.8	48.8	0.44			Oxide
			131.8	146.9	15.1	0.72			Oxide
			includes 131.8	138.2	6.4	1.30			Oxide
			180.6	190.3	9.7	0.39			Oxide
			196.6	221.2	24.6	0.31			Oxide
			227.2	237.0	9.8	0.22			Oxide
			243.0	250.8	7.8	3.68			Oxide
			includes 244.6	250.8	6.2	4.44			Oxide
ODD0309	Keltepe	Resource expansion	15.1	23.0	7.9	0.23			Oxide
			120.3	144.7	24.4	0.53			Oxide
			183.4	190.8	7.4	0.26			Oxide
			342.9	345.8	2.9	0.13	0.94		Sulphide
			383.5	390.2	6.7	0.21	0.37		Sulphide
ODD0310	Keltepe	Resource upgrade & supergene Cu	61.5	165.3	103.8	1.64			Oxide
			includes 61.5	106.9	45.4	3.15			Oxide
			195.0	202.0	7.0	0.25			Oxide
			236.8	247.9	11.1	0.45			Oxide
			274.9	281.9	7.0	0.61			Oxide
			280.2	282.8	2.6	0.69	5.17		Sulphide
ODD0311	Keltepe	Resource upgrade & supergene Cu	Low core recovery - assays are not reportable - repeated as ODD0311A.						
ODD0311A	Keltepe	Resource upgrade & supergene Cu	25.3	205.7	180.4	0.88			Oxide
			includes 37.3	51.0	13.7	1.32			Oxide
			includes 68.0	75.0	7.0	2.37			Oxide
			includes 142.7	149.0	6.3	1.30			Oxide
			includes 175.2	200.7	25.5	1.17			Oxide
			317.6	351.3	33.7	0.41			Partially Oxidized
			343.8	348.8	5.0	0.38	1.49		Partially Oxidized
ODD0312	Keltepe	Resource upgrade & supergene Cu	66.5	158.0	91.5	2.04			Oxide
			includes 67.2	79.2	12.0	4.64			Oxide
			includes 99.8	137.9	38.1	2.92			Oxide
			179.0	195.3	16.3	0.35			Oxide
			215.8	267.4	51.6	0.60			Oxide
			includes 230.8	244.2	13.4	1.55			Oxide
			275.8	303.4	27.6	0.77			Sulphide
			includes 291.0	302.4	11.4	1.29			Sulphide
			288.0	295.1	7.1	0.87	0.34		Sulphide
			includes 290.0	291.0	1.0	0.53	1.04		Sulphide
ODD0313	Keltepe	Resource upgrade & supergene Cu	71.5	233.6	162.1	1.65			Oxide
			includes 83.0	91.9	8.9	1.92			Oxide
			includes 106.5	164.3	57.8	2.86			Oxide
			includes 190.8	210.4	19.6	1.60			Oxide
			233.6	254.6	21.0	1.56			Partially Oxidized
			219.9	236.8	16.9	1.72	0.77		Partially Oxidized
			includes 224.9	225.9	1.0	0.91	1.62		Partially Oxidized
			includes 228.9	230.1	1.2	0.46	1.16		Partially Oxidized
			includes 233.6	236.0	2.4	3.52	3.05		Partially Oxidized
ODD0314	Keltepe NW	Exploration	No Significant Intercept.						
ODD0315	Boztepe	Exploration	188.5	190.5	2.0		0.20		Sulphide
			311.2	313.1	1.9			0.03	Sulphide

Notes: Mineralized intervals are greater than 0.20 g/t Au, 0.15% Cu.

Higher grade sub-intervals are greater than 1.00 g/t Au.

Maximum of 5m internal dilution is allowed.

True widths for mineralized zones are about 60% to 90% of stated down hole interval.

Oxidation assignment is a visual discrimination from core logging.

This information should be read together with our news release of October 31, 2018. Tables are current as of September 30, 2018.

Mustafa Cihan, a Member of the Australian Institute of Geoscientists (AIG), is Centerra's qualified person for the purpose of National Instrument 43-101.



**Centerra Gold Inc. - Öksüt Gold Project**  
**Diamond Drill Hole Assay Results**  
Period July 1st, 2018 to September 30th, 2018



Drill Hole	Target	Purpose	From (m)	To (m)	Core Length (m)	Au (g/t)	Cu (%)	Mo (%)	Oxidation
ODD0316	Keltepe	Resource upgrade & supergene Cu	16.6	209.8	193.2	2.20			Oxide
			includes 34.5	120.5	86.0	3.27			Oxide
			includes 128.0	162.4	34.4	2.31			Oxide
			180.0	188.7	8.7	2.50	0.50		Oxide
			includes 180.0	182.1	2.1	1.72	1.70		Oxide
			209.8	261.1	51.3	1.67	1.15		Sulphide
			includes 209.8	214.1	4.3	2.30	8.89		Sulphide
			272.0	280.2	8.2	0.29			Sulphide
			287.6	320.0	32.4	0.55			Sulphide
			includes 311.0	318.0	7.0	1.06			Sulphide
			302.0	321.3	19.3	0.69	0.56		Sulphide
			includes 304.0	305.6	1.6	0.67	1.99		Sulphide
			includes 309.7	311.0	1.3	0.94	1.72		Sulphide
			331.5	337.5	6.0	0.30			Sulphide
			368.4	375.8	7.4	0.31			Sulphide
			389.8	403.8	14.0	0.69			Sulphide
ODD0317	Keltepe	Supergene Cu	Assays are pending.						
ODD0318	Keltepe	Resource expansion	Assays are pending.						
ODD0319	Yelibelen	Exploration	Assays are pending.						

Notes: Mineralized intervals are greater than 0.20 g/t Au, 0.15% Cu.

Higher grade sub-intervals are greater than 1.00 g/t Au.

Maximum of 5m internal dilution is allowed.

True widths for mineralized zones are about 60% to 90% of stated down hole interval.


Oxidation assignment is a visual discrimination from core logging.

This information should be read together with our news release of October 31, 2018. Tables are current as of September 30, 2018.

Mustafa Cihan, a Member of the Australian Institute of Geoscientists (AIG), is Centerra's qualified person for the purpose of National Instrument 43-101.




# Öksüt Gold Project – Drill hole Plan Map








# Öksüt Gold Project – Keltepe Section AB






# Öksüt Gold Project – Keltepe Section *CD*







# Öksüt Gold Project – Keltepe Section *EF*



# Öksüt Gold Project – Keltepe Section *GH*

